

| Trade name : | EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A | | |
|-----------------|---|----------------------|-----------------|
| Revision date : | 22.12.2022 | Version (Revision) : | 13.0.0 (12.0.0) |
| Print date : | 22-03-2023 | | |
| | | | |

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A

1.2 Relevant identified uses of the substance or mixture and uses advised against Floor coating

1.3 Details of the supplier of the safety data sheet Supplier

EPI Synthetic Surface Materials B.V.

Street : Duikboot 7

Postal code/City: 3991 CK Houten

Telephone: +31 30 2933664

Telefax : +31 30 2936344

Information contact: (Sales Department) Sales@epigroup.nl

1.4 Emergency telephone number

Nederland: +31 30 2748888 - NVIC (Uitsluitend voor professionele hulpverleners) - België: +32 70 245245 - Antigifcentrum

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation. Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction. Aquatic Chronic 2 ; H411 - Hazardous to the aquatic environment : Chronic 2 ; Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Environment (GHS09) · Exclamation mark (GHS07)

Signal word

Warning

Hazard components for labelling

BIS-[4-(2,3-EPOXIPROPOXI)PHENYL]PROPANE ; CAS No. : 1675-54-3 OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERVIVS ; CAS No. : 68609-97-2 Reactieproduct van bisfenol-F-(epichloorhydrine) MW < 700 ; CAS No. : 9003-36-5

Hazard statements

| H315 | Causes skin irritation. |
|------|-------------------------|
| H315 | Causes skin irritation. |

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.



| Trade name : | EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A | | |
|-----------------|---|----------------------|-----------------|
| Revision date : | 22.12.2022 | Version (Revision) : | 13.0.0 (12.0.0) |
| Print date : | 22-03-2023 | | |

xic to aquatic life with long lasting effects.

| Precautionary | statements |
|---------------|--------------------------|
| P261 | Avoid breathing dust/fum |
| | |

| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. | |
|--|--|--|
| P273 | Avoid release to the environment. | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. | |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | |
| P501 | Dispose of contents / container in accordance with local regulations. | |
| Special rules for supplemental label elements for certain mixtures | | |

EUH205 Contains epoxy constituents. May produce an allergic reaction.

CC

Additional information

P302+P352 - IF ON SKIN: Wash with plenty of water/.... P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

None

2.4 Additional information

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

BIS-[4-(2,3-EPOXIPROPOXI)PHENYL]PROPANE ; REACH No. : 01-2119456619-26 ; EC No. : 216-823-5; CAS No. : 1675-54-3 Weight fraction : \geq 50 - < 100 % Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411 OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERVIVS ; EC No. : 271-846-8; CAS No. : 68609-97-2 Weight fraction : ≥ 10 - < 25 % Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Reactieproduct van bisfenol-F-(epichloorhydrine) MW < 700 ; REACH No. : 01-2119454392-40 ; EC No. : 500-006-8; CAS No. : 9003-36-5 ≥ 10 - < 25 % Weight fraction : Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Chronic 2 ; H411 Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. No direct artificial respiration to be given by first aider. Call a physician in any case!

In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.



| Trade name : | EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A | | |
|-----------------|---|----------------------|-----------------|
| Revision date : | 22.12.2022 | Version (Revision) : | 13.0.0 (12.0.0) |
| Print date : | 22-03-2023 | | |

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

Following ingestion

Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Headache Dizziness Nausea Diminished responsiveness Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage



Trade name : Revision date : Print date : EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A 22.12.2022 Version (Revision): 22-03-2023

13.0.0 (12.0.0)



7.1 Precautions for safe handling

Protective measures

Measures to prevent fire

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Provide earthing of containers, equipment, pumps and ventilation facilities.

Measures to prevent aerosol and dust generation

During filling, metering and sampling should be used if possible: Closed devices

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL-/PNEC-values

DNEL/DMEL Reactieproduc

| Reactieproduct van bisfenol-F-(epichloorhydrine) MW < 700 ; CAS No. : 9003-36-5 | | | | |
|---|----------------------------|--|--|--|
| Limit value type : DNEL Consumer (systemic) | | | | |
| Exposure route : | Inhalation | | | |
| Exposure frequency : | Long-term | | | |
| Limit value : | 8,7 mg/m ³ | | | |
| Limit value type : | DNEL Consumer (systemic) | | | |
| Exposure route : | Dermal | | | |
| Exposure frequency : | Long-term | | | |
| Limit value : | 62,5 mg/kg | | | |
| Limit value type : | DNEL Consumer (systemic) | | | |
| Exposure route : | Oral | | | |
| Exposure frequency : | Long-term | | | |
| Limit value : | 6,25 mg/kg | | | |
| Limit value type : | DNEL/DMEL (Worker) | | | |
| Exposure route : | Inhalation | | | |
| Exposure frequency : | Long-term | | | |
| Limit value : | 29,39 mg/m ³ | | | |
| Limit value type : | DNEL/DMEL (Worker) | | | |
| Exposure route : | Dermal | | | |
| Exposure frequency : | Long-term | | | |
| Limit value : | 104,15 mg/kg | | | |
| PNEC | | | | |
| Reactieproduct van bisfenol-F-(epichloorhydrine) MW < 700 ; CAS No. : 9003-36-5 | | | | |
| Limit value type : | PNEC (Aquatic, freshwater) | | | |
| | | | | |



Trade name : Revision date : Print date :

Exposure route :

Exposure time :

Limit value type :

Exposure route : Exposure time :

Limit value :

Limit value :

Limit value type : Exposure route :

Exposure time :

Limit value type :

Exposure route :

Exposure time :

Limit value :

Limit value :

Limit value type :

Exposure route :

Exposure time :

Limit value type :

Exposure route :

Exposure time :

Limit value :

Limit value :

 EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A

 22.12.2022
 Version (Revision) :
 13.0.0 (12.0.0)

 22-03-2023
 13.0.0 (12.0.0)
 13.0.0 (12.0.0)

Water (Including sewage plant) Long-term 0,003 mg/l PNEC (Aquatic, marine water) Water (Including sewage plant) Long-term 0 mg/l PNEC (Sediment, freshwater) Water (Including sewage plant) Long-term 0,294 mg/l PNEC (Sediment, marine water) Water (Including sewage plant) Long-term 0,029 mg/l PNEC Soil, Freshwater Soil Long-term 0,273 mg/kg PNEC (Sewage treatment plant) Water (Including sewage plant) Long-term 10 mg/l

8.2 Exposure controls

Appropriate engineering controls

Use only in well-ventilated areas. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

Personal protection equipment



Eye/face protection

Eye glasses with side protection EN 166

Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN-/EN-Norms EN ISO 374 EN 420 Suitable gloves type NBR (Nitrile rubber) PVA (Polyvinyl alcohol) PVC (polyvinyl chloride)

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protection apparatus Full-/half-/quarter-face masks (EN 136/140) Filtering device (full mask or mouthpiece) with filter: A

General information

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties



| Trade name : | EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A | | |
|-----------------|---|----------------------|-----------------|
| Revision date : | 22.12.2022 | Version (Revision) : | 13.0.0 (12.0.0) |
| Print date : | 22-03-2023 | | |

9.1 Information on basic physical and chemical properties Odour characteristic Colour vellow Safety characteristics Initial boiling point and boiling (1013 hPa) > 200 °C range : Flash point : > 100 °C Lower explosion limit : Vol-% Vol-% Upper explosion limit : Vapour pressure : (20 °C) < 5 hPa **Density**: (20 °C) g/cm³ 1,1 pH : 6 - 8 Viscosity : (20 °C) 600 mPa*s Odour threshold Physical state : Liquid Melting point/freezing point : No data available Freezing point : No data available Decomposition temperature : No data available No data available Auto-ignition temperature : Evaporation rate : No data available Water solubility : practically insoluble log P O/W : No data available Relative vapour density : No data available 9.2 Other information None

SECTION 10: Stability and reactivity

10.1 Reactivity

Contains epoxy constituents with an average molecular weight of <= 700.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Amines.

10.4 Conditions to avoid No information available.

- **10.5 Incompatible materials** Amines. Oxidising agent, strong.
- **10.6 Hazardous decomposition products** No information available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Corrosion

Skin corrosion/irritation irritant. Serious eye damage/eye irritation



Trade name : Revision date : Print date :

EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A 22.12.2022 22-03-2023

Version (Revision) :

13.0.0 (12.0.0)

irritant.

Irritation to respiratory tract No data available

Respiratory or skin sensitisation

Respiratory or skin sensitisation

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP. **Germ cell mutagenicity**

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP.

STOT-repeated exposure

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

Aspiration hazard

Harmful: may cause lung damage if swallowed.

11.2 Information on other hazards

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

- **12.2 Persistence and degradability** Moderately/partially biodegradable.
- 12.3 Bioaccumulative potential
 - No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information



| Trade name : | EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A | | |
|-----------------|---|----------------------|-----------------|
| Revision date : | 22.12.2022 | Version (Revision) : | 13.0.0 (12.0.0) |
| Print date : | 22-03-2023 | | |

| 14.1 | UN number UN 3082 | | |
|------|---|------------------------------|---|
| 14.2 | UN proper shipping name Land transport (ADR/RID) | | (BIS-[4-(2,3-EPOXIPROPOXI)PHENYL]PROPANE) |
| | Sea transport (IMDG) | | (BIS-[4-(2,3-EPOXIPROPOXI)PHENYL]PROPANE) |
| | Air transport (ICAO-TI / IATA-DGR) | | (BIS-[4-(2,3-EPOXIPROPOXI)PHENYL]PROPANE) |
| 14.3 | Transport hazard class(es) | | |
| | Land transport (ADR/RID) Class(es) : Classification code : | 9 M6 | |
| | Hazard identification number (Kemler No.) : | | |
| | Tunnel restriction code : Special provisions : | • | - (SP 375 <= 5 l/kg) |
| | Hazard label(s) : Sea transport (IMDG) | 9 / N | |
| | Class(es) : EmS-No. : | 9 F-A / S-F | |
| | Special provisions : Hazard label(s) : | LQ 5 I · E 1 · IMDG 9 / N | : - (SP 2.10.2.7 <= 5 l/kg) |
| | Air transport (ICAO-TI / IATA-DGR) Class(es) : Special provisions : | 9 E 1 · IATA : - (SP A | 197 <= 5 l/kg) |
| 14.4 | Hazard label(s) : Packing group | 9 / N | |
| 14.5 | III Environmental hazards Land transport (ADR/RID): Yes Sea transport (IMDG): Yes (P) Air transport (ICAO-TI / IATA-DGR): | Yes | |
| 14.6 | Special precautions for user None | | |

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture EU legislation Authorisations and/or restrictions on use **Restrictions on use** Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions) Use restriction according to REACH annex XVII, no.: 3, 75 **15.2 Chemical Safety Assessment**

Information from chemical safety assessments for substances in this preparation have been integrated into this safety data sheet.



| Trade name : | EPI CORESTONE PENETRATOR AQ /PRIMER COMP. A | | |
|-----------------|---|----------------------|-----------------|
| Revision date : | 22.12.2022 | Version (Revision) : | 13.0.0 (12.0.0) |
| Print date : | 22-03-2023 | | |

SECTION 16: Other information

16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Sea transport (IMDG) · 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) · 15. Restrictions on use

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
 - H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

16.6 Training advice

16.7 Additional information

None

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.