according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: EPI CORESTONE SEALCOAT T/M COMP. B

Revision date: 27-06-2019 **Version (Revision):** 10.0.0 (9.0.0)

Print date : 09-07-2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

EPI CORESTONE SEALCOAT T/M COMP. B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Floor coating

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

EPI Synthetic Surface Materials B.V.

Street: Duikboot 7

Postal code/city: 3991 CK Houten

Telephone: +31 30 2933664 **Telefax:** +31 30 2936344

Information contact: (Sales Department) Sales@epigroup.nl

1.4 Emergency telephone number

Nederland: +31 30 2748888 - NVIC (Uitsluitend voor professionele hulpverleners) - België: +32 70 245245 - Antigifcentrum

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4; H332 - Acute toxicity (inhalative): Category 4; Harmful if inhaled. Skin Sens. 1; H317 - Skin sensitisation: Category 1; May cause an allergic skin reaction. STOT SE 3; H335 - STOT-single exposure: Category 3; May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Exclamation mark (GHS07)

Signal word

Warning

Hazard components for labelling

HEXAMETHYLENE- 1,6-DIISOCYANATE HOMOPOLYMER

ALIPHATIC POLYISOCYANATE

Blocked Polyisocyanate Based on HDI; CAS No.: 666723-27-9

Hazard statements

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P362+P364 Take off contaminated clothing and wash it before reuse.

Page: 1 / 7

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: EPI CORESTONE SEALCOAT T/M COMP. B

Revision date: 27-06-2019 **Version (Revision):** 10.0.0 (9.0.0)

Print date: 09-07-2019

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents / container in accordance with local regulations.

Special rules for supplemental label elements for certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

Additional information

P302+P352 - IF ON SKIN: Wash with plenty of water/....

2.3 Other hazards

None

2.4 Additional information

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

HEXAMETHYLENE- 1,6-DIISOCYANATE HOMOPOLYMER; REACH registration No.: 01-2119488934-20; EC No.: 500-060-2

Weight fraction : $\geq 50 - < 100 \%$

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H332 Skin Sens. 1 ; H317 STOT SE 3 ; H335

ALIPHATIC POLYISOCYANATE

Weight fraction : \geq 10 - < 20 %

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H332 Skin Sens. 1 ; H317 STOT SE 3 ; H335

Blocked Polyisocyanate Based on HDI; EC No.: 679-494-0; CAS No.: 666723-27-9

Weight fraction : $\geq 10 - < 20 \%$

Classification 1272/2008 [CLP]: Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 3; H412

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. No direct artificial respiration to be given by first aider. Call a physician in any case!

In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Headache Dizziness Nausea Diminished responsiveness Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

None

Page: 2 / 7

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : EPI CORESTONE SEALCOAT T/M COMP. B

Revision date: 27-06-2019 **Version (Revision):** 10.0.0 (9.0.0)

Print date : 09-07-2019

SECTION 5: Firefighting measures

5.1 Extinguishing media

Reacts with water.

Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Measures to prevent aerosol and dust generation

During filling, metering and sampling should be used if possible: Closed devices

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

Page: 3 / 7

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: EPI CORESTONE SEALCOAT T/M COMP. B

Revision date : 27-06-2019 10.0.0 (9.0.0) Version (Revision):

Print date : 09-07-2019

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

Use only in well-ventilated areas.

Personal protection equipment





Eye/face protection

Eye glasses with side protection DIN EN 166

Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN-/EN-Norms EN ISO 374 DIN EN 420 Suitable gloves type NBR (Nitrile rubber) PVA (Polyvinyl alcohol) PVC (polyvinyl chloride)

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protection apparatus Full-/half-/quarter-face masks (DIN EN 136/140) Filtering device (full mask or mouthpiece) with filter: A

General health and safety measures

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Odour odourless Colour vellow

Safety relevant basis data

Physical state: Liauid Melting point/melting range: No data available (1013 hPa) No data available Freezing point: Initial boiling point and boiling (1013 hPa) 125

range: No data available **Decomposition temperature:** Flash point:

Ignition temperature: No data available Lower explosion limit:

Vol-% Upper explosion limit: Vol-%

Vapour pressure : (20°C) No data available Evaporation rate: No data available

Density: (20°C) 1.15 a/cm^3 Water solubility: (20°C) g/l

Page: 4/7

°C

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: EPI CORESTONE SEALCOAT T/M COMP. B

Revision date: 27-06-2019 **Version (Revision):** 10.0.0 (9.0.0)

Print date: 09-07-2019

pH: No data available log P O/W: No data available Viscosity: (20 °C) No data available Odour threshold

Relative vapour density: (20 °C) No data available

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Isocyanate containing product. Reacts with water.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

Carbon dioxide is generated with water or moisture. Exothermic reaction with: Amines, Alcohols.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Irritant and corrosive effects

Primary irritation to the skin

irritant.

Irritation to eyes

irritant.

Irritation to respiratory tract

No data available

Sensitisation

Respiratory or skin sensitisation

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP.

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP.

STOT-repeated exposure

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

Aspiration hazard

Harmful: may cause lung damage if swallowed.

SECTION 12: Ecological information

Page : 5 / 7

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: EPI CORESTONE SEALCOAT T/M COMP. B

Revision date: 27-06-2019 **Version (Revision):** 10.0.0 (9.0.0)

Print date : 09-07-2019

12.1 Toxicity

harmless to aquatic organisms up to the tested concentration

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

None

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no.: 3

National regulations

MAL kode mixture

15.2 Chemical safety assessment

Information from chemical safety assessments for substances in this preparation have been integrated into this safety

Page: 6 / 7

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : EPI CORESTONE SEALCOAT T/M COMP. B

Revision date: 27-06-2019 **Version (Revision):** 10.0.0 (9.0.0)

Print date : 09-07-2019

data sheet.

SECTION 16: Other information

16.1 Indication of changes

02. Label elements - Additional information · 05. Extinguishing media · 10. Reactivity · 10. Possibility of hazardous reactions · 11. Sensitisation

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 7 / 7