

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

Version number 36 (replaces version 35)

Revision: 13.03.2023

1.1 Product identifier	
Trade name:	Base Coat D60 { A }
Article number:	S8_606-65-766/36
UFI:	0GA0-M0WG-100C-3QFK
1.2 Relevant identified uses of the substance	
Sector of Use	SU19 Building and construction work
Product category	PC1 Adhesives, sealants
	PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay
Process category	PROC10 Roller application or brushing PROC19 Manual activities involving hand contact
Environmental release category	ERC5 Use at industrial site leading to inclusion into/onto article ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)
Article category	AC13 Plastic articles
Application of the substance / the mixture	Coating compound/ Surface coating/ paint
1.3 Details of the supplier of the safety data s Manufacturer/Supplier:	sheet
	Dutch Design (UK) Systems Limited T/A SPHERE 8 Unit 1, Five Eastfields Avenue London SW18 1FU +44 (0) 208 969 0183 info@sphere8.com
Further information obtainable from:	Technical Advice: Gert de Graaf
1.4 Emergency telephone number:	During / out of office hours: +44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard
SECTION 2: Hazards identification	
SECTION 2. Hazarus identification	
2.1 Classification of the substance or mixture Classification according to Regulation (EC)	
No 1272/2008	The product is not classified, according to the CLP regulation.
2.2 Label elements	
Labelling according to Regulation (EC) No	
1272/2008	Void
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void
Additional information:	EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not brea spray or mist.
2.3 Other hazards	-
Results of PBT and vPvB assessment	
PBT:	Not applicable.
vPvB:	Not applicable.

· Description:

There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🚷

Version number 36 (replaces version 35)

Revision: 13.03.2023

Trade name: Base Coat D60 { A }

Dangerous comp	onents:	
CAS: 9016-87-9	diphenylmethane-4,4'-di-isocyanate	≤0.1
EINECS: 202-966-0	🗞 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; 伙 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ %	
	Skin Irrit. 2; H315: C ≥ 5 %	
	Resp. Sens. 1; H334: C ≥ 0.1 %	
	STOT SE 3; C ≥ 5 %	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:
- · After skin contact:
- · After eye contact:

@+ T

· After swallowing:

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Generally the product does not irritate the skin.

Rinse opened eye for several minutes under running water.

Supply fresh air; consult doctor in case of complaints.

If symptoms persist consult doctor.

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

substance or mixture

· Additional information

5.3 Advice for firefighters
 Protective equipment:

· Suitable extinguishing agents:

· 5.2 Special hazards arising from the



CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO)

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit. PSA 52 / PSA 55 / PSA 56 / PSA 57 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective	
equipment and emergency procedures	Not required.
· 6.2 Environmental precautions:	Do not allow to enter sewers/ surface or ground water.
· 6.3 Methods and material for containment a	and
cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 6.4 Reference to other sections 	No dangerous substances are released.
	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE (S)

Version number 36 (replaces version 35)

Revision: 13.03.2023

Trade name: Base Coat D60 { A }

(Contd. of page 2)

SECTION 7: Handling and storage	
· 7.1 Precautions for safe handling	No special measures required.
Information about fire - and explosion	No special measures required.
-	No appaid manufactor required
protection:	No special measures required.
7.2 Conditions for safe storage, including	any incompatibilities
Storage:	
Requirements to be met by storerooms an	d
receptacles:	No special requirements.
Information about storage in one common	1
storage facility:	Store away from foodstuffs.
	Store away from oxidising agents.
Further information about storage condition	
	Store in dry conditions.
	Store in a cool place.
7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure controls/per	rsonal protection
8.1 Control parameters	
Ingredients with limit values that require n	nonitoring at the workplace:
9016-87-9 diphenylmethane-4,4'-di-isocyanate	
WEL (Great Britain) Short-term value: 0.07 mg/m ³	
Long-term value: 0.02 mg/m ³	
Sen; as -NCO	
Additional information:	The lists valid during the making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls	No further data; see item 7.
Individual protection measures, such as p	
General protective and hygienic measures	
	Immediately remove all soiled and contaminated clothing
	Wash hands before breaks and at the end of work.
	Store protective clothing separately.
Poppiratory protoction:	Do not eat, drink, smoke or sniff while working.
Respiratory protection:	
	Only during spraying without adequate removal by suction.
	Use suitable respiratory protective device in case of insufficient ventilation.
	Use suitable respiratory protective device when high concentrations are present.
Recommended filter device for short term	
use:	Combination filter A-P2
Hand protection	The alexandrate has to be the set of the set
	The glove material has to be impermeable and resistant to the product/
	substance/ the preparation.
Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on fur
	marks of quality and varies from manufacturer to manufacturer. As the product is a prepara
	of several substances, the resistance of the glove material can not be calculated in adva
	and has therefore to be checked prior to the application.
Penetration time of glove material	The exact break trough time has to be found out by the manufacturer of the protective glo
giere material	and has to be observed.
	The determined penetration times according to EN 16523-1:2015 are not performed ur
	practical conditions. Therefore a maximum wearing time, which corresponds to 50% of
	penetration time, is recommended.
As protection from splashes gloves made	
the following materials are suitable:	Nitrile rubber, NBR
	Natural rubber, NR
	(Contra on pog

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE (8)

Version number 36 (replaces version 35)

Revision: 13.03.2023

(Contd. of page 3)

Trade name: Base Coat D60 { A }

· Eye/face protection

· Body protection:



Tightly sealed goggles

(Protective) work clothing

- Protective work clothing (long trousers, long-sleeved shirt). Avoid exposed skin, even in hot weather.`
- Depending on processing: use spray-tight trousers or spray-tight overalls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical propertie	es
General Information	
· Physical state	Fluid
· Colour:	-
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
 Boiling point or initial boiling point and boiling range 	>200 °C (8001-79-4 Castor oil)
· Flammability	Not applicable.
 Lower and upper explosion limit 	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>100 °C
· Ignition temperature:	>255 °C (8001-79-4 Castor oil)
 Decomposition temperature: 	Not determined.
pH	Mixture is non-polar/aprotic.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
Solubility	
· water:	Not miscible or difficult to mix.
 Partition coefficient n-octanol/water (log value) 	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20 °C:	1.599 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
 Important information on protection of health an 	d
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
	Not determined.
· Solvent content:	
· Solids content:	99.3 %
· Change in condition	
· Evaporation rate	Not determined.
 Information with regard to physical hazard classes 	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
	(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🔇

Version number 36 (replaces version 35)

Revision: 13.03.2023

Trade name: Base Coat D60 { A }

		(Contd. of page 4
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
· Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
 Self-heating substances and mixtures 	Void	
Substances and mixtures, which emit flammable	gases in	
contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
· 10.2 Chemical stability	
 Thermal decomposition / conditions to be 	
avoided:	No decomposition if used according to specifications.
 10.3 Possibility of hazardous reactions 	No dangerous reactions known.
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 	No further relevant information available.
 10.6 Hazardous decomposition products: 	No dangerous decomposition products known.

SECTION 11: Toxicological information

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other hazards	

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- · 12.4 Mobility in soil
- · 12.5 Results of PBT and vPvB assessment
- · PBT:
- · vPvB:

No further relevant information available. No further relevant information available. No further relevant information available. No further relevant information available.

Not applicable. Not applicable.

(Contd. on page 6) S8GB

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🔇

Version number 36 (replaces version 35)

Revision: 13.03.2023

Trade name: Base Coat D60 { A }

(Contd. of page 5) • 12.6 Endocrine disrupting properties • 12.7 Other adverse effects • Additional ecological information: • General notes: • Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 04 09*waste adhesives and sealants containing organic solvents or other hazardous substances08 04 10waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information		
· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name 		
ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
\cdot 14.7 Maritime transport in bulk according to IM	<i>IO instruments</i> Not applicable.	
· UN "Model Regulation":	Void	
	void	

SECTION 15: Regulatory information

Labelling according to Regulation 1272/2008	Void
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void
Directive 2012/18/EU	
Named dangerous substances - A	NNEX I None of the ingredients is listed.
REGULATION (EC) No 1907/2006	ANNEX XVII Conditions of restriction: 56a

(Contd. on page 7)

— S8GB —

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🚷

Version number 36 (replaces version 35)

Revision: 13.03.2023

Trade name: Base Coat D60 { A }

None of the ingredients is listed.	
REGULATION (EU) 2019/1148	
Annex I - RESTRICTED EXPLOSIVES PR	ECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.	
Annex II - REPORTABLE EXPLOSIVES P	RECURSORS
None of the ingredients is listed.	
Regulation (EC) No 273/2004 on drug pre	ecursors
None of the ingredients is listed.	
-	Water hazard class 1 (Self-assessment): slightly hazardous for water.
National regulations: Waterhazard class: Other regulations, limitations and prohib	Water hazard class 1 (Self-assessment): slightly hazardous for water.
-	
Waterhazard class: Other regulations, limitations and prohik regulations	bitive
Waterhazard class: Other regulations, limitations and prohik	bitive
Waterhazard class: Other regulations, limitations and prohit regulations VOC	bitive www.ERICARDS.net
Waterhazard class: Other regulations, limitations and prohit regulations VOC VOC EU [%]	0.00 %
Waterhazard class: Other regulations, limitations and prohib regulations VOC VOC EU [%] VOC EU [g/l]	Ditive www.ERICARDS.net 0.00 % 0.0 g/l

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

No 1272/2008

· Contact:

· Department issuing SDS:

· Date of previous version:

· Abbreviations and acronyms:

· Version number of previous version:

· Classification according to Regulation (EC)

- H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334 H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. EUH204 Contains isocyanates. May produce an allergic reaction. The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 24.01.2022 35 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 13.03.2023

Version number 36 (replaces version 35)

Revision: 13.03.2023

(Contd. of page 7)

S8GB

Trade name: Base Coat D60 { A }

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

 * Data compared to the previous version altered.