

Printing date 13.03.2023 Version number 33 (replaces version 32) Revision: 13.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Seal Coat WB UV+ Colour { A }

· Article number: S8_676-65-783/33
 · UFI: 71D0-R0AM-J008-0UXR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use
 Product category
 SU19 Building and construction work
 PC1 Adhesives, sealants

PC9a Coatings and paints, thinners, paint removers

PC9b Fillers, putties, plasters, modelling clay

· Process category PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact

· Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article

ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

ACAO DI C. C.

• Article category AC13 Plastic articles

· Application of the substance / the mixture Coating compound/ Surface coating/ paint

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Dutch Design (UK) Systems Limited

T/A SPHERE 8

Unit 1, Five Eastfields Avenue

London SW18 1FU +44 (0) 208 969 0183 info@sphere8.com

Further information obtainable from:
 1.4 Emergency telephone number:
 During / out of office hours:

+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC)

No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No

 1272/2008
 Void

 ⋅ Hazard pictograms
 Void

 ⋅ Signal word
 Void

 ⋅ Hazard statements
 Void

· Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]

and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-

one. May produce an allergic reaction. EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: There are no additional ingredients present which are classified as hazardous to health or the

environment and on this basis need to be mentioned in this section.

(Contd. on page 2)



Version number 33 (replaces version 32) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: Seal Coat WB UV+ Colour { A }

	(Contd. o	f page 1
· Dangerous comp	ponents:	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	≤0.1%
EINECS: 220-120-9	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	≤0.1%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	
· Additional inforn	nation: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:
- · After skin contact:
- · After eye contact:

Supply fresh air; consult doctor in case of complaints. Generally the product does not irritate the skin.



Rinse opened eye for several minutes under running water.

- · After swallowing:
- · 4.2 Most important symptoms and effects, both acute and delayed
- · 4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist consult doctor.

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:



CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

Formation of toxic gases is possible during heating or in case of fire.

· 5.2 Special hazards arising from the substance or mixture

· 5.3 Advice for firefighters

· Protective equipment:

Carbon monoxide (CO)

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

PSA 52 / PSA 55 / PSA 56 / PSA 57

· Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective

equipment and emergency procedures

Not required.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and

cleaning up: · 6.4 Reference to other sections Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

No dangerous substances are released.

(Contd. on page 3)



Version number 33 (replaces version 32) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: Seal Coat WB UV+ Colour { A }

(Contd. of page 2)

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

· Information about fire - and explosion

protection:

No special measures required.

No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and

receptacles:

No special requirements.

· Information about storage in one common

storage facility:

Store away from foodstuffs. Store away from oxidising agents.

· Further information about storage conditions: Protect from frost.

Store in dry conditions. Store in a cool place.

· 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require

monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have

to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls

No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:



Only during spraying without adequate removal by suction.

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present.

· Recommended filter device for short term

· Hand protection

Combination filter A-P2



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR Natural rubber, NR

(Contd. on page 4)

(Contd. of page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 33 (replaces version 32) Revision: 13.03.2023

Trade name: Seal Coat WB UV+ Colour { A }

· Eye/face protection

Tightly sealed goggles

· Body protection:



(Protective) work clothing

- Protective work clothing (long trousers, long-sleeved shirt). Avoid exposed skin, even in hot weather.
- Depending on processing: use spray-tight trousers or spray-tight overalls

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

· Colour: According to product specification

· Odour: Characteristic

· Odour threshold: Not determined.

· Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similar purity)

Not applicable.

· Flammability

· Lower and upper explosion limit

· Lower: Not determined. Not determined. · Upper:

· Flash point: 100 °C

· Decomposition temperature: Not determined.

· pH Mixture is non-polar/aprotic.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined

· Vapour pressure at 20 °C:

· Density and/or relative density

· Density at 20 °C: 1.145 g/cm3 · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Not determined.

23 hPa

· Solvent content:

· Organic solvents: 0.0 % · Water: 50.8 % · Solids content: 47.0 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

 Explosives Void · Flammable gases Void

(Contd. on page 5)



Version number 33 (replaces version 32) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: Seal Coat WB UV+ Colour { A }

(Contd. of page 4)

	· Aerosols	Void
	· Oxidising gases	Void
	Gases under pressure	Void
	· Flammable liquids	Void
	· Flammable solids	Void
	· Self-reactive substances and mixtures	Void
	· Pyrophoric liquids	Void
	Pyrophoric solids	Void
	· Self-heating substances and mixtures	Void
	Substances and mixtures, which emit flammable gases in	
	contact with water	Void
	· Oxidising liquids	Void
	Oxidising solids	Void
	Organic peroxides	Void
	Corrosive to metals	Void
	Desensitised explosives	Void
_		

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be

· 10.3 Possibility of hazardous reactions

· 10.4 Conditions to avoid · 10.5 Incompatible materials:

· 10.6 Hazardous decomposition products:

No decomposition if used according to specifications.

Based on available data, the classification criteria are not met.

No dangerous reactions known.

No further relevant information available. No further relevant information available.

No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met. · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available. · 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available

· 12.5 Results of PBT and vPvB assessment

· PBT: · vPvB:

Not applicable. Not applicable.

(Contd. on page 6)



Printing date 13.03.2023 Version number 33 (replaces version 32) Revision: 13.03.2023

Trade name: Seal Coat WB UV+ Colour { A }

(Contd. of page 5)

· 12.6 Endocrine disrupting properties

12.7 Other adverse effects

· Additional ecological information:

· General notes:

The product does not contain substances with endocrine disrupting properties.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

system

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper

cleaning.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant:

• 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No

1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Void

None of the ingredients is listed.

(Contd. on page 7)



Printing date 13.03.2023 Version number 33 (replaces version 32) Revision: 13.03.2023

Trade name: Seal Coat WB UV+ Colour { A }

(Contd. of page 6)

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive

regulations

www.ERICARDS.net

· VOC

· VOC EU [%]· VOC EU [g/l]0.03 %0.9 g/l

· **VOC USA** 0.9 g/l / 0.01 lb/gal

· **VOC CH** 0.03 %

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases H301 Toxic if swallowed.

H302 Harmful if swallowed. H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC)

No 1272/2008

The classification of the mixture is generally based on the calculation method using substance

data according to Regulation (EC) No 1272/2008.

· **Department issuing SDS:** Product Development

· **Contact:** Technical Manager: +44 (0) 20 8969 0183

Date of previous version: 09.03.2022

· Version number of previous version: 32

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 8)



Version number 33 (replaces version 32) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: Seal Coat WB UV+ Colour { A }

(Contd. of page 7)

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· * Data compared to the previous version altered.

S8GB