

Printing date 13.03.2023 Version number 5 (replaces version 4) Revision: 13.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

DiamondSphere Grip 2K { A } · Trade name:

· Article number: S8\_736-85-XXX/5 · UFI: GUH0-20YU-P00Y-2YKC

· 1.2 Relevant identified uses of the substance

or mixture and uses advised against

ATTENTION! DO NOT SPRAY!

· Sector of Use SU19 Building and construction work

 Product category PC1 Adhesives, sealants

> PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay

· Process category PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact

· Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article

ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

· Article category AC13 Plastic articles

· Application of the substance / the mixture Coating compound/ Surface coating/ paint

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Dutch Design (UK) Systems Limited

T/A SPHERE 8

Unit 1, Five Eastfields Avenue London SW18 1FU +44 (0) 208 969 0183 info@sphere8.com

· Further information obtainable from: Technical Advice: Gert de Graaf · 1.4 Emergency telephone number: During / out of office hours:

+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No

1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.



· Signal word Warning

· Hazard-determining components of labelling: Hexamethylene diisocyanate, oligomers

hexamethylene-di-isocyanate

 $poly(oxy-1,2-ethanediyl), \ \alpha-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1$ 

1-oxopropyl]-ω-hydroxy-

 $poly(oxy-1,2-ethanediyl), \ \alpha-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-1-(2H-benzotriazol-2$ 1-oxopropyl]-ω-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-

bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate methyl-1,2,2,6,6,-pentamethyl-4-piperidylsebacate

· Hazard statements H332 Harmful if inhaled.

(Contd. on page 2)



Version number 5 (replaces version 4) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

(Contd. of page 1)

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P280 Wear protective gloves.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Additional information: EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

Restricted to professional users.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

CAS: 28182-81-2	Hexamethylene diisocyanate, oligomers	25-100%
NLP: 500-060-2 Reg.nr.: 01-2119485796-17-0000 01-2119970543-34-0001	♠ Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 28182-81-2	Hexamethylene diisocyanate, oligomers	10-25%
Reg.nr.: 01-2119970543-34-0001 01-2119485796-17-0002	1 Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 104810-48-2 ELINCS: 400-830-7	poly(oxy-1,2-ethanediyl), $\alpha$ -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- $\omega$ -hydroxy-	≤2.5%
Reg.nr.: 01-0000015075-76-0013	Viqualis Sinsins 2,, Visits Sinsins 1,	
CAS: 104810-47-1 ELINCS: 400-830-7	poly(oxy-1,2-ethanediyl), $\alpha$ -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- $\omega$ -[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]- $\Delta$ Aquatic Chronic 2, H411; $\Delta$ Skin Sens. 1, H317	≤2.5%
CAS: 41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate	≤2.5%
EINECS: 255-437-1	♦ Repr. 2, H361; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Sens. 1, H317	
CAS: 398475-96-2	1,2-Ethanediamine, polymer with aziridine,reaction product with 2-propenoic acid, 2-ethylhexyl ester, salt with oxirane, methyl-, polymer with oxirane, monobutyl ether, phosphate  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Irrit. 2, H315; Eye Irrit. 2, H319	≤0.5%
CAS: 82919-37-7	methyl-1,2,2,6,6,-pentamethyl-4-piperidylsebacate	≤0.5%
EINECS: 280-060-4	♠ Repr. 2, H361; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Sens. 1, H317	
CAS: 822-06-0	hexamethylene-di-isocyanate	≤0.2%
EINECS: 212-485-8	🕸 Acute Tox. 1, H330; 🚯 Resp. Sens. 1, H334; 🕦 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2,	
Reg.nr.: 01-2119485796-17-0001	H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
	Specific concentration limits: Resp. Sens. 1; H334: C ≥ 0.5 %	
01-211947571-37-0001	Skin Sens. 1; H317: C ≥ 0.5 %	

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.



Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

(Contd. of page 2)



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 5 (replaces version 4) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Rinse opened eye for several minutes under running water.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After swallowing:

· After inhalation:

· After skin contact:

· After eye contact:

· 4.2 Most important symptoms and effects, both acute and delayed

· 4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist consult doctor.

No further relevant information available.

No further relevant information available.

### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the

substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx) Carbon monoxide (CO) Hydrogen cyanide (HCN)

5.3 Advice for firefighters

· Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

PSA 52 / PSA 55 / PSA 56 / PSA 57

· Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective

equipment and emergency procedures

Not required.

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and

cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

No special measures required.

(Contd. on page 4)



Printing date 13.03.2023 Version number 5 (replaces version 4) Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and

receptacles:

No special requirements.

· Information about storage in one common

storage facility:

Store away from foodstuffs. Store away from oxidising agents.

· Further information about storage conditions: Protect from frost.

Keep container tightly sealed. Store in dry conditions. Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

#### 822-06-0 hexamethylene-di-isocyanate

WEL (Great Britain) Short-term value: 0.07 mg/m3 Long-term value: 0.02 mg/m<sup>3</sup>

Sen; as -NCO

#### · DNELs

#### 28182-81-2 Hexamethylene diisocyanate, oligomers

Dermal

Shortterm value mg/kg (Worker local)

mg/kg (Worker system-related)

Longterm value mg/cm² (Worker local)

mg/cm2 (Worker system-related)

Inhalative Shortterm value 1 mg/m³ (Worker local)

Longterm value

mg/m3 (Worker system-related) 0.5 mg/m³ (Worker local)

mg/m³ (Worker system-related)

#### · PNECs

#### 28182-81-2 Hexamethylene diisocyanate, oligomers

Soil

1.33 mg/kg (PNEC Freshwater Sediment)

0.066 mg/kg (PNEC Soil)

0.133 mg/kg (PNEC Seawater Sediment)

Water 0.005 mg/l (PNEC Seawater)

55.6 mg/l (PNEC Wastewater treatment)

0.05 mg/l (PNEC Water)

#### · Ingredients with biological limit values:

#### 822-06-0 hexamethylene-di-isocyanate

BMGV (Great Britain) 1 µmol creatinine/mol

Medium: urine

Sampling time: At the end of the period od exposure

Parameter: isocyanate-derived diamine

Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

Appropriate engineering controls

No further data; see item 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not eat, drink, smoke or sniff while working.

(Contd. on page 5)



Version number 5 (replaces version 4) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

· Respiratory protection:

(Contd. of page 4)



Only during spraying without adequate removal by suction.

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present.

· Recommended filter device for short term

Hand protection

Combination filter A-P2



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

> The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

> The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

As protection from splashes gloves made of the following materials are suitable:

· Eye/face protection

· Penetration time of glove material

Nitrile rubber, NBR Natural rubber, NR



Tightly sealed goggles

· Body protection:



(Protective) work clothing

Not applicable.

- Protective work clothing (long trousers, long-sleeved shirt). Avoid exposed skin, even in hot weather.
- Depending on processing: use spray-tight trousers or spray-tight overalls

2,230 °C (112945-52-5 Synthetic Amorphous, Pyrogenic Silica)

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state

· Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined.

· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range

· Flammability

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: 180 °C · Decomposition temperature: Not determined. Mixture is non-polar/aprotic.

· pH

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

Solubility

· water: Not miscible or difficult to mix.

(Contd. on page 6)



Printing date 13.03.2023 Version number 5 (replaces version 4) Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

		(Contd. of page 5)
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C:	1.16 g/cm³	
Relative density	Not determined.	
· Vapour density	Not determined.	
· 9.2 Other information		
· Appearance:		
· Form:	Fluid	
· Important information on protection of health ar	nd	
environment, and on safety.		
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	37.3 %	
· Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard classes		
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable gases		
contact with water	Void	
Oxidising liquids	Void	

Void

Void

Void

Void

No dangerous reactions known.

No decomposition if used according to specifications.

No dangerous decomposition products known.

## SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Oxidising solids

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

· Thermal decomposition / conditions to be

avoided:

· 10.3 Possibility of hazardous reactions

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous decomposition products:

## SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

(Contd. on page 7)



Printing date 13.03.2023 Version number 5 (replaces version 4) Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

			(Contd. of page
I D/I C50 valu	es relevant for c		(
	amethylene diisoc		
Oral	•	>5,000 mg / kg (rat)	
Dermal		>2,000 mg/kg (rat)	
Demiai	OECD 402 (LD50)		
	0500 400 (4.050)	>2,000 mg/kg (rabbit)	
Inhalative		0.402 mg/l (rat) (04 h)	
Irritation of skin		(rabbit) (04 h)	
	OECD 406	(marmot (Magnusson-Kligman test))	
Irritation of eyes	OECD 405	(rabbit)	
Skin corrosio	n/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/irritation		Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation		on May cause an allergic skin reaction.	
28182-81-2 Hex	amethylene diisoc	ranate, oligomers	
Irritation of skin	OECD 429 (mous		
Germ cell mutagenicity		Based on available data, the classification criteria are not met.	
Carcinogenicity		Based on available data, the classification criteria are not met.	
Reproductive toxicity		Based on available data, the classification criteria are not met.	
STOT-single exposure		May cause respiratory irritation.	
STOT-repeated exposure		Based on available data, the classification criteria are not met.	
Aspiration hazard		Based on available data, the classification criteria are not met.	
Additional to	xicological inform	nation:	
Repeated dos	se toxicity		
28182-81-2 Hex	amethylene diisoc	ranate, oligomers	
Inhalative   OECD 413   3.3 mg/m3 (rat) (90 d)			
OECD 473 (Chinese hamster ovary (CHO) cells)			
OECD 476 (Chinese hamster ovary (CHO) cells)			
11.2 Informat	ion on other haza	ords	
Endocrine dis	srupting properti	es	
556-67-2 octamethylcyclotetrasiloxane		ne	List II,
541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasi		methylcyclopentasiloxane	List II
540-97-6 Dodecamethylcyclohexasiloxane		List II	

## SECTION 12: Ecological information

## · 12.1 Toxicity

· Aquatic toxicity:				
28182-81-2 Hexamethylene diisocyanate, oligomers				
BCF (BioConcentrationFactor) - Bioaccumulation 9.6				
OECD 117 (log Pow) - Bioaccumulation				
OECD 201 (ErC50/ErL50)	>100 mg/l (Desmodesmus subspicatus) (72 h)			
	>100 mg/l (scenedesmus subspicatus) (72 h)			
OECD 202 (EC50/EL50)	>100 mg/l (Daphnia Magna) (48 h)			
OECD 203 (LC50/LL50)	>100 mg/l (Danio rerio) (96 h)			
OECD 209 (EC50/EL50)	645.7 mg/l (Activated sludge) (03 h)			
OECD 301 D	0 % (28 d)			
OECD 471	(Ames Test (Salmonella/microsome test))			
12.2 Persistence and degradability  No further relevant information available.				

No further relevant information available.

No further relevant information available.

· 12.3 Bioaccumulative potential

· 12.4 Mobility in soil

· 12.5 Results of PBT and vPvB assessment

· PBT: · vPvB:

Not applicable. Not applicable.

(Contd. on page 8)



Printing date 13.03.2023 Version number 5 (replaces version 4) Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

(Contd. of page 7)

12.6 Endocrine disrupting properties

· 12.7 Other adverse effects

For information on endocrine disrupting properties see section 11.

· Remark:

· Additional ecological information:

• General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or

sewage system.

Harmful to fish

Harmful to aquatic organisms

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage

· European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

• Recommendation: Empty contaminated packagings thoroughly. They may be recycled after thorough and proper

cleaning

## SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation": Void

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.

GHS07

· Signal word Warning

· Hazard-determining components of labelling: Hexamethylene diisocyanate, oligomers

(Contd. on page 9)



Printing date 13.03.2023 Version number 5 (replaces version 4) Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

(Contd. of page 8)

hexamethylene-di-isocyanate

 $poly(oxy-1,2-ethanediyl),\ \alpha-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-(2H-benzotriazol-2-yl)-1-(2H-b$ 

1-oxopropyl]-ω-hydroxy-

poly(oxy-1,2-ethanediyl),  $\alpha$ -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- $\omega$ -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-

oxopropoxy]-

bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate methyl-1,2,2,6,6,-pentamethyl-4-piperidylsebacate

· **Hazard statements** H332 Harmful if inhaled.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.
 REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 74

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment –

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Technical instructions (air):

Class	Share in %
1	0.2

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive

regulations www.ERICARDS.net

· VOC

· VOC EU [%]
 · VOC EU [g/l]
 0.02 %
 0.2 g/l

• **VOC USA** 0.2 g/l / 0.00 lb/gal

· **VOC CH** 0.02

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

(Contd. on page 10)



Printing date 13.03.2023 Version number 5 (replaces version 4) Revision: 13.03.2023

Trade name: DiamondSphere Grip 2K { A }

(Contd. of page 9)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. H411

EUH204 Contains isocyanates. May produce an allergic reaction.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS:

· Contact:

· Date of previous version:

· Version number of previous version:

· Abbreviations and acronyms:

Product Development

Technical Manager: +44 (0) 20 8969 0183

19.08.2022

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 1: Acute toxicity – Category 1
Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* \* Data compared to the previous version altered.

SAGR