

Version number 37 (replaces version 36) Printing date 13.03.2023 Revision: 13.03.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Primer ST LV { A } · Trade name: · Article number: S8\_768-65-380/37

· UFI: TEC0-60GU-D00T-DFV9

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU19 Building and construction work

· Product category PC1 Adhesives sealants

PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay

· Process category PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact

· Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article

ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

Article category AC13 Plastic articles

· Application of the substance / the mixture Coating compound/ Surface coating/ paint

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Dutch Design (UK) Systems Limited

T/A SPHERE 8

Unit 1, Five Eastfields Avenue

London SW18 1FU +44 (0) 208 969 0183 info@sphere8.com

· Further information obtainable from: Technical Advice: Gert de Graaf · 1.4 Emergency telephone number: During / out of office hours:

+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard

#### SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. H362 May cause harm to breast-fed children. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

Hazard pictograms

· Hazard statements

· Precautionary statements

· Labelling according to Regulation (EC) No

1272/2008

The product is classified and labelled according to the CLP regulation.





GHS07

· Signal word Warning

· Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane

alkanes, C14-17, chloro

Reaction product: bisphenol F and epichlorhydrin (MW ≤ 700) 1,6 hexandiglycidylether

H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H362 May cause harm to breast-fed children.

H411 Toxic to aquatic life with long lasting effects. P260 Do not breathe dusts or mists.

P263 Avoid contact during pregnancy and while nursing.

P273 Avoid release to the environment.

(Contd. on page 2)



Version number 37 (replaces version 36) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 1)

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Additional information: EUH205 Contains epoxy constituents. May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT:

85535-85-9 alkanes, C14-17, chloro

· vPvB:

85535-85-9 alkanes, C14-17, chloro

#### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

| CAS: 1675-54-3   | bis[4-(2,3-epoxypropoxy)phenyl]propane   | 25-100% |
|--|--|---------|
| EINECS: 216-823-5<br>Reg.nr.: 01-2119456619-26         | ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317<br>Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 %<br>Skin Irrit. 2; H315: C ≥ 5 % |         |
| CAS: 9003-36-5   | Reaction product: bisphenol F and epichlorhydrin (MW ≤ 700)  | 10-25%  |
| NLP: 500-033-5<br>Reg.nr.: 01-2119454392-40-0003       | 🕸 Aquatic Chronic 2, H411; 🕠 Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205   |         |
| CAS: 16096-31-4  | 1,6 hexandiglycidylether   | 10-25%  |
| EINECS: 240-260-4                                      | 🕦 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412, EUH205   |         |
| CAS: 85535-85-9  | alkanes, C14-17, chloro  | 2.5-5%  |
| EINECS: 287-477-0                                      | Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Lact., H362, EUH066 PBT; vPvB  |         |
| CAS: 933999-84-9                                       | Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)  | ≤0.1%   |
| EC number: 618-939-5<br>Reg.nr.: 01-2119463471-41-0005 | 🕠 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; Aquatic Chronic 3, H412  |         |

85535-85-9 alkanes, C14-17, chloro

Additional information:

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a

doctor.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects,

both acute and delayed

· 4.3 Indication of any immediate medical

attention and special treatment needed

No further relevant information available.

No further relevant information available.

(Contd. on page 3)



Printing date 13.03.2023 Version number 37 (replaces version 36) Revision: 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 2)

## SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:



CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant

foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the

substance or mixture

During heating or in case of fire poisonous gases are produced. Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO) Hydrogen chloride (HCl)

· 5.3 Advice for firefighters

· Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

PSA 52 / PSA 55 / PSA 56 / PSA 57

• Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective

equipment and emergency procedures

Mount respiratory protective device.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and

cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion

protection:

Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and

receptacles:

No special requirements.

· Information about storage in one common

storage facility:

Store away from foodstuffs. Store away from oxidising agents.

· Further information about storage conditions: Protect from frost.

Keep container tightly sealed.

Store in dry conditions.
Store in a cool place.

(Contd. on page 4)



Version number 37 (replaces version 36) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 3)

· 7.3 Specific end use(s)

No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require

monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have

to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls

No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

> Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.

· Respiratory protection:



Only during spraying without adequate removal by suction.

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present.

· Recommended filter device for short term use:

Hand protection

Combination filter A-P2



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· As protection from splashes gloves made of

the following materials are suitable:

Nitrile rubber. NBR Natural rubber, NR

· Eye/face protection



Tightly sealed goggles

Body protection:



(Protective) work clothing

- Protective work clothing (long trousers, long-sleeved shirt). Avoid exposed skin, even in hot weather.
- Depending on processing: use spray-tight trousers or spray-tight overalls

S8GB

(Contd. on page 5)



Version number 37 (replaces version 36) Revision: 13.03.2023 Printing date 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined.

Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 201 °C

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: 101 °C · Ignition temperature: >300 °C · Decomposition temperature: Not determined.

· pH Mixture is non-polar/aprotic.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

Solubility

Not miscible or difficult to mix. · water:

· Partition coefficient n-octanol/water (log value) Not determined

· Vapour pressure at 20 °C: <1 hPa

· Density and/or relative density

· Density at 20 °C: 1.18 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid · Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Not determined.

· Solvent content:

· Solids content: 81.0 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in

contact with water Void Oxidising liquids Void

(Contd. on page 6)



Printing date 13.03.2023 Version number 37 (replaces version 36) Revision: 13.03.2023

No decomposition if used according to specifications.

Trade name: Primer ST LV { A }

(Contd. of page 5)

Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives

Void

 Void

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be

avoided:

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid
 10.5 Incompatible materials:
 10.6 Hazardous decomposition products:
 10.6 Hazardous decomposition products:

No further relevant information available.
No dangerous decomposition products known.

### SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation
 Serious eye damage/irritation
 Respiratory or skin sensitisation
 Causes skin irritation.
 Causes serious eye irritation.
 May cause an allergic skin reaction.

Germ cell mutagenicity
 Based on available data, the classification criteria are not met.
 Carcinogenicity
 Based on available data, the classification criteria are not met.

· Reproductive toxicity May cause harm to breast-fed children.

STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and

toxicity for reproduction) Lact.

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:
 12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.
 No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

85535-85-9 alkanes, C14-17, chloro

· vPvB:

85535-85-9 alkanes, C14-17, chloro

• 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· **Remark:** Toxic for fish

· Additional ecological information:

· General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 7)



Printing date 13.03.2023 Version number 37 (replaces version 36) Revision: 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

# SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage

system.

· Uncleaned packaging:

· Recommendation: Empty contaminated packagings thoroughly. They may be recycled after thorough and proper

| Nosommonauton:                                     | cleaning.  |
|--|--|
| SECTION 14: Transport informati                    | ion  |
| · 14.1 UN number or ID number<br>· ADR, IMDG, IATA | UN3082   |
| · 14.2 UN proper shipping name<br>· ADR            | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700), Reaction product: Bisphenol F - epichlorhydrin resin (MW ≤ 700))              |
| · IMDG   | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700), Reaction product: Bisphenol F - epichlorhydrin resin (MW ≤ 700)), MARINE POLLUTANT |
| ·IATA  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700), Reaction product: Bisphenol F - epichlorhydrin resin (MW $\leq$ 700))              |
| · 14.3 Transport hazard class(es)                  |  |
| · ADR  |  |
| · Class<br>· Label                                 | 9 (M6) Miscellaneous dangerous substances and articles.<br>9   |
| · IMDG, IATA                                       |  |



• Class 9 Miscellaneous dangerous substances and articles.

· Label

· 14.4 Packing group · ADR, IMDG, IATA

· 14.5 Environmental hazards: Product contains environmentally hazardous substances: alkanes, C14-17,

chloro

Marine pollutant:
 Special marking (ADR):
 Special marking (IATA):
 Symbol (fish and tree)
 Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

· Hazard identification number (Kemler code):

(Contd. on page 8)



Version number 37 (replaces version 36) Printing date 13.03.2023 Revision: 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 7) · EMS Number: F-A,S-F · Stowage Category Α · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · Limited quantities (LQ) 5L Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 · Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 51 · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (MW = 700), REACTION PRODUCT: BISPHENOL F EPICHLORHYDRIN RESIN (MW ≤ 700)), 9, III

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No

1272/2008

· Hazard pictograms

· Hazard statements

The product is classified and labelled according to the CLP regulation.



· Signal word Warning

· Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane

alkanes, C14-17, chloro

Reaction product: bisphenol F and epichlorhydrin (MW ≤ 700) 1,6 hexandiglycidylether

H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H362 May cause harm to breast-fed children. H411 Toxic to aquatic life with long lasting effects. P260 Do not breathe dusts or mists.

· Precautionary statements

P263 Avoid contact during pregnancy and while nursing.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

E2 Hazardous to the Aquatic Environment

· Qualifying quantity (tonnes) for the application of lower-tier requirements

· Qualifying quantity (tonnes) for the

application of upper-tier requirements

200 t

500 t

(Contd. on page 9)



Printing date 13.03.2023 Version number 37 (replaces version 36) Revision: 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 8)

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

• Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· Other regulations, limitations and prohibitive

regulations

www.ERICARDS.net ERIC: 9-01

Substances of very high concern (SVHC) according to REACH, Article 57

85535-85-9 alkanes, C14-17, chloro

· VOC

· VOC EU [%]
 · VOC EU [g/l]
 0.00 %
 0.0 g/l

· **VOC USA** 0.0 g/l / 0.00 lb/gal

· **VOC CH** 0.00 %

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H362 May cause harm to breast-fed children.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking. EUH205 Contains epoxy constituents. May produce an allergic reaction.

· Classification according to Regulation (EC)

No 1272/2008

The classification of the mixture is generally based on the calculation method using substance

data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: Product Development

• Contact: Technical Manager: +44 (0) 20 8969 0183

· Date of previous version: 05.05.2021

· Version number of previous version: 36

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)



Printing date 13.03.2023 Version number 37 (replaces version 36) Revision: 13.03.2023

Trade name: Primer ST LV { A }

(Contd. of page 9)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Lact.: Reproductive toxicity – effects on or via lactati

Lact.: Reproductive toxicity – effects on or via lactation
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· \* Data compared to the previous version altered.

S8GB -