Printing date 13.03.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 30 (replaces version 29)

Revision: 13.03.2023

Page 1/10

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1 Product identifier	
Trade name:	Primer Rapid { A }
Article number:	
UFI:	S8_769-66-381/30 7FG0-Y0XG-T002-FH8A
1.2 Relevant identified uses of the substan	
Sector of Use	SU19 Building and construction work
Product category	PC1 Adhesives, sealants
r rouder eurogory	PC9a Coatings and paints, thinners, paint removers
	PC9b Fillers, putties, plasters, modelling clay
Process category	PROC10 Roller application or brushing
	PROC19 Manual activities involving hand contact
Environmental release category	ERC5 Use at industrial site leading to inclusion into/onto article
	ERC8c Widespread use leading to inclusion into/onto article (indoor)
	ERC8f Widespread use leading to inclusion into/onto article (outdoor)
Article category	AC13 Plastic articles
Application of the substance / the mixture	Coating compound/ Surface coating/ paint
1.3 Details of the supplier of the safety data	a sheet
Manufacturer/Supplier:	
	Dutch Design (UK) Systems Limited
	T/A SPHERE 8
	Unit 1, Five Eastfields Avenue
	London SW18 1FU
	+44 (0) 208 969 0183
	info@sphere8.com
Further information obtainable from:	Technical Advice: Gert de Graaf
1 1 Emorganov tolonkana number	
1.4 Emergency telephone number:	During / out of office hours:
SECTION 2: Hazards identification	During / out of office hours: +44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard
SECTION 2: Hazards identification 2.1 Classification of the substance or mixto	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard
SECTION 2: Hazards identification 2.1 Classification of the substance or mixte Classification according to Regulation (EC	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC, Skin Irrit. 2 H315 Causes skin irritation.	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC, Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008
SECTION 2: Hazards identification2.1 Classification of the substance or mixteClassification according to Regulation (EC)Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritatioSkin Sens. 1H317 May cause an allergic skin	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC, Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction.
SECTION 2: Hazards identification2.1 Classification of the substance or mixteClassification according to Regulation (EC)Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritatioSkin Sens. 1H317 May cause an allergic skin	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. Ing lasting effects.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. Ing lasting effects.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. Ing lasting effects.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. Ing lasting effects.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{OHS07}^{V}$ $\overbrace{OHS09}^{V}$
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. In reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. In reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{O}_{GHS07}^{V}$ $\overbrace{O}_{GHS09}^{V}$ Warning
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard Ure (I) No 1272/2008 on. reaction. In product is classified and labelled according to the CLP regulation. The product is classified and labelled according to the CLP regulation. (I) Figure (I)
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{Q}{}_{GHS07}$ $\overbrace{Q}{}_{GHS09}$ Warning Tg: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) Reaction product: Bisphenol F - epichlorhydrin resin (MW ≤ 700) 1,6 hexandiglycidylether
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with low 2.2 Label elements Labelling according to Regulation (EC) Nov 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard UFE) No 1272/2008 on. reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard Ure) No 1272/2008 on. reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{OHS07}^{V}$ $\overbrace{OHS09}^{V}$ GHS07 $GHS09WarningTg: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700)Reaction product: Bisphenol-A-(epichlorhydrin resin (MW ≤ 700)1,6 hexandiglycidyletherPhenol, methylstyrenatedH315 Causes skin irritation.$
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with low 2.2 Label elements Labelling according to Regulation (EC) Nov 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{Q}{Warning}$ US GHS07 GHS09 Warning Tg: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) Reaction product: bisphenol F - epichlorhydrin resin (MW ≤ 700) 1,6 hexandiglycidylether Phenol, methylstyrenated H315 Causes skin irritation. H319 Causes serious eye irritation.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with low 2.2 Label elements Labelling according to Regulation (EC) Nov 1272/2008 Hazard pictograms Signal word Hazard-determining components of labelling	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard Ure) No 1272/2008 on. reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{QGHS07}^{V}$ $\overbrace{QHS09}^{V}$ Warning Tg: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) Reaction product: bisphenol-A-(epichlorhydrin resin (MW ≤ 700) 1,6 hexandiglycidylether Phenol, methylstyrenated H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with low 2.2 Label elements Labelling according to Regulation (EC) Nov 1272/2008 Hazard pictograms Signal word Hazard-determining components of labellint Hazard statements	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. In reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{Q}{}$ $\overbrace{Q}{}$ $\overbrace{Q}{}$ $\overbrace{G}{]$ $\overbrace{G}{}$ $\overbrace{G}{]$ $\overbrace{G}{}$ $\overbrace{G}{]$ $\overbrace{G}{}$ $\overbrace{G}{]$ $\overbrace{G}[]$ $\overbrace{G}[]$ $\overbrace{G}[]$ $\overbrace{G}[]]$ $\overbrace{G}[]$ $\overbrace{G}[]]$ G
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritatio Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with lo 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining components of labellin	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. In reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. \overbrace{V}_{GHS07} $\overbrace{GHS09}$ Warning Tg: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) Reaction product: Bisphenol F - epichlorhydrin resin (MW ≤ 700) 1,6 hexandiglycidylether Phenol, methylstyrenated H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. P261 Avoid breathing dust/furme/gas/mist/vapours/spray.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with low 2.2 Label elements Labelling according to Regulation (EC) Nov 1272/2008 Hazard pictograms Signal word Hazard-determining components of labellint Hazard statements	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard UIP No 1272/2008 on. reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{Q}{Warning}$ DF OF GHS07 GHS09 Warning DF Freaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) Reaction product: Bisphenol F - epichlorhydrin resin (MW ≤ 700) 1,6 hexandiglycidylether Phenol, methylstyrenated H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with low 2.2 Label elements Labelling according to Regulation (EC) Nov 1272/2008 Hazard pictograms Signal word Hazard-determining components of labellint Hazard statements	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard ure) No 1272/2008 on. reaction. In reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. \overbrace{V}_{GHS07} $\overbrace{GHS09}$ Warning Tg: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) Reaction product: Bisphenol F - epichlorhydrin resin (MW ≤ 700) 1,6 hexandiglycidylether Phenol, methylstyrenated H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. P261 Avoid breathing dust/furme/gas/mist/vapours/spray.
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation Skin Sens. 1 H317 May cause an allergic skin Aquatic Chronic 2 H411 Toxic to aquatic life with low 2.2 Label elements Labelling according to Regulation (EC) Nov 1272/2008 Hazard pictograms Signal word Hazard-determining components of labellint Hazard statements	+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard Ure No 1272/2008 on. reaction. Ing lasting effects. The product is classified and labelled according to the CLP regulation. $\overbrace{Q}{V}$ \overbrace{Q}

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE (8)

Version number 30 (replaces version 29)

Revision: 13.03.2023

Trade name: Primer Rapid { A }

	P333+P313	(Contd. of page 1) (Contd. of page 1)
	P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· Additional information:	EUH205 Conta	ins epoxy constituents. May produce an allergic reaction.
· 2.3 Other hazards	-	
 Results of PBT and vPvB assessment 		
· PBT:	Not applicable.	
· vPvB:	Not applicable.	
• Determination of endocrine-disrupting p	properties	
68512-30-1 Phenol, methylstyrenated		List II

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

ſ

· Description:

There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

· Dangerous components:

CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	25-100%
EINECS: 216-823-5 Reg.nr.: 01-2119456619-26	♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ % Skin Irrit. 2; H315: $C \ge 5$ %	
CAS: 9003-36-5 NLP: 500-033-5 Reg.nr.: 01-2119454392-40-0003	Reaction product: bisphenol F and epichlorhydrin (MW ≤ 700) ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205	10-25%
CAS: 16096-31-4 EINECS: 240-260-4	1,6 hexandiglycidylether () Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412, EUH205	10-25%
CAS: 68512-30-1	Phenol, methylstyrenated ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	2.5-5%
CAS: 2530-83-8 EINECS: 219-784-2	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	<i>≤</i> 2.5%
CAS: 933999-84-9 EC number: 618-939-5 Reg.nr.: 01-2119463471-41-0005	Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2) () Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	<i></i> ≤0.1%
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

 4.1 Description of first aid measures 	
· General information:	Immediately remove any clothing soiled by the product.
· After inhalation:	Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.
· After skin contact:	Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.
· After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:	If symptoms persist consult doctor.
4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical	No further relevant information available.
attention and special treatment needed	No further relevant information available.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🚷

Version number 30 (replaces version 29)

Revision: 13.03.2023

Trade name: Primer Rapid { A }

(Contd. of page 2)

SECTION 5: Firefighting measur	
5.1 Extinguishing media	
Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resist foam.
	Use fire extinguishing methods suitable to surrounding conditions.
5.2 Special hazards arising from the	
substance or mixture	Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO)
5.3 Advice for firefighters	
Protective equipment:	Wear self-contained respiratory protective device.
	Do not inhale explosion gases or combustion gases.
	Wear fully protective suit.
Additional information	PSA 52 / PSA 55 / PSA 56 / PSA 57
Additional information	Dispose of fire debris and contaminated fire fighting water in accordance with offi regulations.
	Collect contaminated fire fighting water separately. It must not enter the sewage system.
SECTION 6: Accidental release I	measures
	measures
6.1 Personal precautions, protective	
6.1 Personal precautions, protective equipment and emergency procedures	Not required.
6.1 Personal precautions, protective	Not required. Do not allow product to reach sewage system or any water course.
6.1 Personal precautions, protective equipment and emergency procedures	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
6.1 Personal precautions, protective equipment and emergency procedures	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions:	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and
6.1 Personal precautions, protective equipment and emergency procedures6.2 Environmental precautions:6.3 Methods and material for containmental for	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmental precaution of the second second	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
6.1 Personal precautions, protective equipment and emergency procedures6.2 Environmental precautions:6.3 Methods and material for containmental for	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmental precaution of the second second	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmental precaution of the second second	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmed cleaning up: 6.4 Reference to other sections 	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmental precaution of the second second	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmed cleaning up: 6.4 Reference to other sections 	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmed cleaning up: 6.4 Reference to other sections 	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. ge No special measures required. Ensure good ventilation/exhaustion at the workplace.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmed cleaning up: 6.4 Reference to other sections 	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. ge No special measures required.
 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions: 6.3 Methods and material for containmed cleaning up: 6.4 Reference to other sections 	Not required. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. ent and Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. ge No special measures required. Ensure good ventilation/exhaustion at the workplace.

protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Further information about storage conditions: Protect from frost.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements. · Information about storage in one common Store away from foodstuffs.
- storage facility:
- · 7.3 Specific end use(s)

Store in a cool place. No further relevant information available.

Store away from oxidising agents.

Keep container tightly sealed. Store in dry conditions.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🚷

Version number 30 (replaces version 29)

Revision: 13.03.2023

Trade name: Primer Rapid { A }

(Contd. of page 3) SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data; see item 7. · Individual protection measures, such as personal protective equipment · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. · Respiratory protection: Only during spraying without adequate removal by suction. Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present. · Recommended filter device for short term use: Combination filter A-P2 · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. As protection from splashes gloves made of the following materials are suitable: Nitrile rubber. NBR Natural rubber, NR · Eye/face protection Tightly sealed goggles · Body protection: (Protective) work clothing - Protective work clothing (long trousers, long-sleeved shirt). Avoid exposed skin, even in hot weather. - Depending on processing: use spray-tight trousers or spray-tight overalls SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information · Physical state

· Colour:

Fluid According to product specification

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE (S)

Version number 30 (replaces version 29)

Revision: 13.03.2023

Trade name: Primer Rapid { A }

	(Contd. of page 4)
Characteristic	
Not determined.	
Undetermined.	
201 °C	
Not applicable.	
Not determined.	
Not determined.	
mixture to non polar, aprodo.	
Not determined	
Not determined.	
Not missible or difficult to mix	
< i IIFa	
1 100 - 10	
-	
Not determined.	
Fluid	
nd	
Product is not selfigniting.	
Product does not present an explosion hazard.	
Not determined.	
78.6 %	
Not determined.	
Void	
in	
Void	
Void	
Void Void Void Void	
Void Void Void	
	Not determined. 201 °C Not applicable. Not determined. 101 °C >300 °C Not determined. Mixture is non-polar/aprotic. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined. 78.6 % Not determined. Void Void <

Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🚷

Version number 30 (replaces version 29)

Revision: 13.03.2023

(Contd. of page 5)

Trade name: Primer Rapid { A }

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity

· 10.2 Chemical stability

· 10.4 Conditions to avoid

No further relevant information available.

· Thermal decomposition / conditions to be avoided:

· 10.3 Possibility of hazardous reactions

- No decomposition if used according to specifications.
- No dangerous reactions known.
- No further relevant information available. No further relevant information available.
- · 10.5 Incompatible materials: No dangerous decomposition products known.
- 10.6 Hazardous decomposition products:

SECTION 11: Toxicological information

Acute toxicity	Based on available data, the classification criteria are not met.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT-single exposure	Based on available data, the classification criteria are not met.	
STOT-repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2 Information on other hazards		
Endocrine disrupting properties		
68512-30-1 Phenol, methylstyrenated		Lis

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- · 12.2 Persistence and degradability
- · 12.3 Bioaccumulative potential
- · 12.4 Mobility in soil
- · 12.5 Results of PBT and vPvB assessment
- · PBT:
- · vPvB:
- · 12.6 Endocrine disrupting properties
- · 12.7 Other adverse effects
- · Remark:
- · Additional ecological information:
- · General notes:

No further relevant information available. No further relevant information available. No further relevant information available. No further relevant information available.

- Not applicable. Not applicable. For information on endocrine disrupting properties see section 11.
- Toxic for fish

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🛽

Version number 30 (replaces version 29)

Revision: 13.03.2023

(Contd. of page 6)

Trade name: Primer Rapid { A }

SECTION 13: Disposal considerations 13.1 Waste treatment methods · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. · European waste catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 · Uncleaned packaging: · Recommendation: Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning **SECTION 14: Transport information** · 14.1 UN number or ID number · ADR, IMDG, IATA UN3082 · 14.2 UN proper shipping name · ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700), reaction product: Bisphenol F - Epichlorhydrin Resin (mg ≤ 700)) ·IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700), reaction product: Bisphenol F - Epichlorhydrin Resin (mg ≤ 700)), MARINE POLLUTANT ·IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700), reaction product: Bisphenol F - Epichlorhydrin Resin (mg ≤ 700)) · 14.3 Transport hazard class(es) · ADR AN · Class 9 (M6) Miscellaneous dangerous substances and articles. · Label 9 · IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 · 14.4 Packing group · ADR, IMDG, IATA 111 · 14.5 Environmental hazards: Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Hazard identification number (Kemler code): 90

(Contd. on page 8)

S8GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE 🚷

Version number 30 (replaces version 29)

Revision: 13.03.2023

Trade name: Primer Rapid { A }

	(Contd. of page
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Maritime transport in bulk according to	IMO instruments Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L
Excepted quantities (EQ)	
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU
	N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDR
	EPOXY RESIN (MW = 700), REACTION PRODUCT: BISPHENOL
	EPICHLORHYDRIN RESIN (MG ≤ 700)), 9, III

SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (MW = 700) Reaction product: Bisphenol F - epichlorhydrin resin (MW ≤ 700) 1,6 hexandiglycidylether Phenol, methylstyrenated · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category E2 Hazardous to the Aquatic Environment Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t (Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

SPHERE (S)

Revision: 13.03.2023

Trade name: Primer Rapid { A }

	XVII Conditions of restriction: 3
DIRECTIVE 2011/65/EU on the restriction Annex II	of the use of certain hazardous substances in electrical and electronic equipment
None of the ingredients is listed.	
REGULATION (EU) 2019/1148	
Annex I - RESTRICTED EXPLOSIVES PRE	ECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.	
Annex II - REPORTABLE EXPLOSIVES PR	RECURSORS
None of the ingredients is listed.	
Regulation (EC) No 273/2004 on drug pred	cursors
None of the ingredients is listed.	
-	rules for the monitoring of trade between the Community and third countries in
None of the ingredients is listed.	
National regulations:	
Waterhazard class:	Water hazard class 2 (Self-assessment): hazardous for water.
Other regulations, limitations and prohibi regulations	ttive www.ERICARDS.net ERIC: 9-01
VOC	
VOC EU [%]	0.00 %
VOC EU [g/l]	0.0 g/l
VOC USA	0.0 g/l / 0.00 lb/gal
VOC CH	0.00 %
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information This information is based on our present knowle	
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship.	edge. However, this shall not constitute a guarantee for any specific product features and shal
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship.	edge. However, this shall not constitute a guarantee for any specific product features and shal H315 Causes skin irritation.
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship.	edge. However, this shall not constitute a guarantee for any specific product features and shal H315 Causes skin irritation. H317 May cause an allergic skin reaction.
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship.	edge. However, this shall not constitute a guarantee for any specific product features and shal H315 Causes skin irritation. H317 May cause an allergic skin reaction.
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship.	edge. However, this shall not constitute a guarantee for any specific product features and shal H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship.	edge. However, this shall not constitute a guarantee for any specific product features and shal H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases	edge. However, this shall not constitute a guarantee for any specific product features and shal H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction.
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases	edge. However, this shall not constitute a guarantee for any specific product features and shal H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C) The classification of the mixture is generally based on the calculation method using substa
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C) The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C) The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C The classification of the mixture is generally based on the calculation method using substate data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C) The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Transport of Dangerous Goods by Rail)
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concernin
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C) The classification of the mixture is generally based on the calculation method using substate data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Transport of Dangerous Goods by Rail) ICA0: International Civil Aviation Organisation
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civi Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concernir International Carriage of Dangerous Goods by Rail) IMDE: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C) The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation ADR: Accord relatif au transport international des marchandises dangereuses par noute (European Agreement Concerning International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: Int
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Chil Aviation Organisation ADR: Accord relatif au transport international MDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	adge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C0 The classification of the mixture is generally based on the calculation method using substate data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regule Concerning the International Concernant le transport des marchandises dangereuses par conten (European Agreement Concernint International Carriage of Dangerous Goods by Real) IAOE: International Carriage of Dangerous Goods by Real) IMDG: International Ar Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
SECTION 16: Other information This information is based on our present knowle establish a legally valid contractual relationship. Relevant phrases Classification according to Regulation (Ed No 1272/2008 Department issuing SDS: Contact: Date of previous version: Version number of previous version:	edge. However, this shall not constitute a guarantee for any specific product features and shall H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. C0 The classification of the mixture is generally based on the calculation method using substat data according to Regulation (EC) No 1272/2008. Product Development Technical Manager: +44 (0) 20 8969 0183 18.03.2022 29 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regula Concerning the International Transport of Dangerous Goods by Rail) (CAC: International Aritime Cool organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning International Cariage of Dangerous Goods by Rail) MDC: International Maritime Cools for Dangerous Goods MTA: International Maritime Cools for Dangerous Goods MTA: International Maritime Cools for Dangerous Goods MTA: International Karting Commercial Chemical Substances ELI

SPHERE S

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.03.2023

Version number 30 (replaces version 29)

Revision: 13.03.2023

(Contd. of page 9)

S8GB

Trade name: Primer Rapid { A }

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

 * Data compared to the previous version altered.