

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Body Coat UV+ { B }

• **Article number:** \$8_856-66-766/25

• Registration number 01-2119485796-17-0000. 01-2119970543-34-0001

· **UFI:** U9A0-M0HP-E00D-S19F

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU19 Building and construction work

· Product category PC1 Adhesives, sealants

PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay

· Process category PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact

• Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article

ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

· Article category AC13 Plastic articles

· Application of the substance / the mixture Coating compound/ Surface coating/ paint

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Dutch Design (UK) Systems Limited

T/A SPHERE 8

Unit 1, Five Eastfields Avenue

London SW18 1FU +44 (0) 208 969 0183 info@sphere8.com

Further information obtainable from:
 1.4 Emergency telephone number:
 Technical Advice: Gert de Graaf
 During / out of office hours:

+44 (0) 7551 417891 - Steve Andrews or +44 (0) 7787 557256 - Paul Beard

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No

1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

· Signal word Warning

· Hazard-determining components of labelling: Hexamethylene diisocyanate, oligomers

hexamethylene-di-isocyanate

· Hazard statements H332 Harmful if inhaled.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

• **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Additional information: EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 25 (replaces version 24) Revision: 13.03.2023 Printing date 13.03.2023

Trade name: Body Coat UV+ { B }

(Contd. of page 1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

. PRT. Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

CAS: 28182-81-2	Hexamethylene diisocyanate, oligomers	25-100%
NLP: 500-060-2	Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	
Reg.nr.: 01-2119485796-17-000	0	
01-2119970543-34-000	1	
CAS: 822-06-0	hexamethylene-di-isocyanate	≤0.5%
EINECS: 212-485-8	Acute Tox. 1, H330; & Resp. Sens. 1, H334; 1 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
Reg.nr.: 01-2119485796-17-000	1 H̃319; Skin Sens. 1, H317; STOT SE 3, H335, EUH̃204	
01-2119457571-37-000.	X Specific concentration limits: Resp. Sens. 1; H334: C ≥ 0.5 %	
01-211947571-37-0001	Skin Sens. 1; H317: C ≥ 0.5 %	

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.




Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

· After skin contact:

· After eye contact:



In case of unconsciousness place patient stably in side position for transportation.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.



Rinse opened eye for several minutes under running water.

· After swallowing:

· 4.2 Most important symptoms and effects, both acute and delayed

· 4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist consult doctor.

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:



CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Nitrogen oxides (NOx)

Carbon monoxide (CO) Hydrogen cyanide (HCN)

(Contd. on page 3)

(Contd. of page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

Trade name: Body Coat UV+ { B }

• 5.3 Advice for firefighters
• Protective equipment:

Mount respiratory protective device.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

PSA 52 / PSA 55 / PSA 56 / PSA 57

· Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective

equipment and emergency procedures

Not required.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and

cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion

protection:

No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and

receptacles:

No special requirements.

· Information about storage in one common

storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Further information about storage conditions: Protect from frost.

Keep container tightly sealed. Store in dry conditions. Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

822-06-0 hexamethylene-di-isocyanate

WEL (Great Britain) Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m³

Sen; as -NCO

DNELs

28182-81-2 Hexamethylene diisocyanate, oligomers

Dermal | Shortterm value | mg/kg (Worker local)

mg/kg (Worker system-related)

(Contd. on page 4)

(Contd. of page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

Trade name: Body Coat UV+ { B }

Longterm value mg/cm² (Worker local)

mg/cm2 (Worker system-related)

Inhalative | Shortterm value | 1 mg/m³ (Worker local)

mg/m³ (Worker system-related)

Longterm value 0.5 mg/m³ (Worker local)

mg/m³ (Worker system-related)

· PNECs

28182-81-2 Hexamethylene diisocyanate, oligomers

1.33 mg/kg (PNEC Freshwater Sediment) 0.066 mg/kg (PNEC Soil)

0.133 mg/kg (PNEC Seawater Sediment)

Water 0.005 mg/l (PNEC Seawater)

55.6 mg/l (PNEC Wastewater treatment)

0.05 mg/l (PNEC Water)

· Ingredients with biological limit values:

822-06-0 hexamethylene-di-isocyanate

BMGV (Great Britain) 1 µmol creatinine/mol

Medium: urine

Sampling time: At the end of the period od exposure

Parameter: isocyanate-derived diamine

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls

No further data; see item 7.


· Individual protection measures, such as personal protective equipment

Keep away from foodstuffs, beverages and feed. · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:



Only during spraying without adequate removal by suction.

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present.

· Recommended filter device for short term

· Hand protection

Combination filter A-P2



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance

and has therefore to be checked prior to the application.

· Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

> The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

· Eye/face protection

Natural rubber, NR



Tightly sealed goggles

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

Trade name: Body Coat UV+ { B }

· Body protection:

(Contd. of page 4)



(Protective) work clothing

Not applicable.

- Protective work clothing (long trousers, long-sleeved shirt). Avoid exposed skin, even in hot weather.`
- Depending on processing: use spray-tight trousers or spray-tight overalls

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

· Odour: Characteristic

Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Meiting point/reezing point:
 · Boiling point or initial boiling point and boiling range
 >150 °C

· Lower and upper explosion limit

· Lower: Not determined.
· Upper: Not determined.
· Flash point: 161 °C

· Decomposition temperature: Not determined.

· **pH** Mixture is non-polar/aprotic.

· Viscosity:

· Flammability

Kinematic viscosity
 Dynamic:
 Not determined.
 Not determined.

Solubility

· water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)
 Vapour pressure at 20 °C:
 Not determined.
 0.0001 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Not determined.

· Solvent content:

· Solids content: 99.5 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void
Flammable liquids Void
Flammable solids Void

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

Trade name: Body Coat UV+ { B }

(Contd. of page 5) · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

No decomposition if used according to specifications.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be

avoided:

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid
 10.5 Incompatible materials:
 10.6 Hazardous decomposition products:
 No further relevant information available.
 No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

riouto tomorty		riamia il lililatoa.		
· LD/LC50 values relevant for classification:				
28182-81-2 Hexamethylene diisocyanate, oligomers				
Oral	OECD 401 (LD50)	>5,000 mg / kg (rat)		
Dermal	OECD 402 (LD50)	>2,000 mg/kg (rat)		
		>2,000 mg/kg (rabbit)		
Inhalative	OECD 403 (LC50)	0.402 mg/l (rat) (04 h)		
Irritation of skin	OECD 404	(rabbit) (04 h)		
	OECD 406	(marmot (Magnusson-Kligman test))		
Irritation of eyes	OECD 405	(rabbit)		
· Skin corrosio	n/irritation	Rased on available data, the classification criteria are not met		

Skin corrosion/irritation
 Based on available data, the classification criteria are not met.
 Serious eye damage/irritation
 Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

28182-81-2 Hexamethylene diisocyanate, oligomers

Irritation of skin OECD 429 (mouse)

Germ cell mutagenicity
 Carcinogenicity
 Based on available data, the classification criteria are not met.
 Reproductive toxicity
 STOT-single exposure
 Based on available data, the classification criteria are not met.
 May cause respiratory irritation.

• STOT-repeated exposure
• Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Repeated dose toxicity

28182-81-2 Hexamethylene diisocyanate, oligomers

Inhalative | OECD 413 | 3.3 mg/m3 (rat) (90 d)

OECD 473 (Chinese hamster ovary (CHO) cells)

(Contd. on page 7)

(Contd. of page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

Trade name: Body Coat UV+ { B }

OECD 476 (Chinese hamster ovary (CHO) cells)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

28182-81-2 Hexamethylene diisocyanate, oligomers

BCF (BioConcentrationFactor) - Bioaccumulation | 9.6

OECD 117 (log Pow) - Bioaccumulation

OECD 201 (ErC50/ErL50) >100 mg/l (Desmodesmus subspicatus) (72 h)

>100 mg/l (scenedesmus subspicatus) (72 h)

OECD 202 (EC50/EL50) OECD 203 (LC50/LL50)

>100 mg/l (Daphnia Magna) (48 h) >100 mg/l (Danio rerio) (96 h)

OECD 209 (EC50/EL50)

645.7 mg/l (Activated sludge) (03 h)

OECD 301 D

0 % (28 d)

OECD 471

(Ames Test (Salmonella/microsome test))

· 12.2 Persistence and degradability · 12.3 Bioaccumulative potential

No further relevant information available. No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB

Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or

sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper

cleaning.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

Trade name: Body Coat UV+ { B }

(Contd. of page 7) · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · UN "Model Regulation":

Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No

1272/2008 · Hazard pictograms The product is classified and labelled according to the CLP regulation.

· Signal word Warning

· Hazard-determining components of labelling: Hexamethylene diisocyanate, oligomers

hexamethylene-di-isocyanate

· Hazard statements H332 Harmful if inhaled. H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

 Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves. P280

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed. · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 74

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2023 Version number 25 (replaces version 24) Revision: 13.03.2023

Trade name: Body Coat UV+ { B }

(Contd. of page 8)

· National regulations:

· Technical instructions (air):

Class	Share in %
1	0.2

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive

regulations

www.ERICARDS.net

· VOC

· VOC EU [%] 0.00 % · VOC EU [g/l] $0.0 \, g/I$

· VOC USA 0.0 g/l / 0.00 lb/gal

· VOC CH 0.00 %

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

H335 May cause respiratory irritation.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Classification according to Regulation (EC)

No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: Product Development

· Contact: Technical Manager: +44 (0) 20 8969 0183

· Date of previous version: 05.05.2021

· Version number of previous version: 24

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Acute Tox. 1: Acute toxicity – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· * Data compared to the previous version altered.

S8GB