# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 PRIMER ST COMP. B

**Revision date :** 14.12.2023 **Version :** 1.0.0

**Print date :** 14-12-2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

SPHERE 8 PRIMER ST COMP. B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Floor coating

### 1.3 Details of the supplier of the safety data sheet

#### Supplier

EPI Synthetic Surface Materials B.V.

Street: Duikboot 7

Postal code/City: 3991 CK Houten

**Telephone:** +31 30 2933664 **Telefax:** +31 30 2936344

Information contact: (Sales Department) Sales@epigroup.nl

#### 1.4 Emergency telephone number

+31 30 2936344 (during office hours 8:00 - 17:00)

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4; H302 - Acute toxicity (oral): Category 4; Harmful if swallowed.

Skin Corr. 1B; H314 - Skin corrosion/irritation: Category 1B; Causes severe skin burns and eye damage.

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

Aquatic Chronic 3; H412 - Hazardous to the aquatic environment : Chronic 3; Harmful to aquatic life with long lasting effects.

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# **Hazard pictograms**





Corrosion (GHS05) · Exclamation mark (GHS07)

#### Signal word

Danger

#### Hazard components for labelling

BENZYL ALCOHOL ; CAS No. : 100-51-6

 $phenol,\,4,4'-(1-methylethylidene) bis-,\,polymer\,\,with\quad 5-amino-1,3,3-trimethylcyclohexane methanamine\,\,and$ 

(chloromethyl)oxirane ; CAS No. : 38294-64-3

 $\hbox{3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE}\;;\;\hbox{CAS No.}\;:\;2855\text{-}13\text{-}2$ 

1,3-BENZENEDIMETHANAMINE ; CAS No. : 1477-55-0

#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

Page: 1/8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: SPHERE 8 PRIMER ST COMP. B

**Revision date:** 14.12.2023 **Version:** 1.0.0

**Print date :** 14-12-2023

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER/doctor.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents / container in accordance with local regulations.

#### **Additional information**

P270 - Do not eat, drink or smoke when using this product. P302+P352 - IF ON SKIN: Wash with plenty of water/....

P363 - Wash contaminated clothing before reuse.

#### 2.3 Other hazards

#### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 2.4 Additional information

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

# **Hazardous ingredients**

BENZYL ALCOHOL ; EC No. : 202-859-9; CAS No. : 100-51-6 Weight fraction :  $\geq$  25 - < 50 %

Classification 1272/2008 [CLP]: Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane; REACH No.: 01-2119965165-33; EC No.: 500-101-4; CAS No.: 38294-64-3

Weight fraction :  $\geq$  25 - < 50 %

Classification 1272/2008 [CLP]: Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3;

H412

3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE; EC No.: 220-666-8; CAS No.: 2855-13-2

Weight fraction :  $\geq$  10 - < 25 %

Classification 1272/2008 [CLP] : Skin Corr. 1B; H314 Eye Dam. 1; H318 Acute Tox. 4; H302 Acute Tox. 4; H312

Skin Sens. 1A; H317 Aquatic Chronic 3; H412

Specific Conc. Limits: (ATE - oral: 1030 mg/kg)

1,3-BENZENEDIMETHANAMINE; REACH No.: 01-2119480150-50; EC No.: 216-032-5; CAS No.: 1477-55-0

Weight fraction :  $\geq$  10 - < 25 %

Classification 1272/2008 [CLP]: Skin Corr. 1B; H314 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Sens. 1B; H317

Aquatic Chronic 3; H412 EUH071

#### **Additional information**

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

Page: 2/8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: SPHERE 8 PRIMER ST COMP. B

**Revision date :** 14.12.2023 **Version :** 1.0.0

**Print date :** 14-12-2023

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. No direct artificial respiration to be given by first aider. Call a physician in any case!

#### In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

#### 4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Headache Dizziness Nausea Diminished responsiveness Repeated exposure may cause skin dryness or cracking.

# 4.3 Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

# Unsuitable extinguishing media

Full water jet

# 5.2 Special hazards arising from the substance or mixture

### **Hazardous combustion products**

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

## 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

#### **Protective equipment**

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

# 6.3 Methods and material for containment and cleaning up

For containment

Page: 3 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: SPHERE 8 PRIMER ST COMP. B

**Revision date :** 14.12.2023 **Version :** 1.0.0

**Print date :** 14-12-2023

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

#### 6.4 Reference to other sections

See protective measures under point 7 and 8.

# **SECTION 7: Handling and storage**



# 7.1 Precautions for safe handling

#### **Protective measures**

Measures to prevent aerosol and dust generation

During filling, metering and sampling should be used if possible: Closed devices

# 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

# 7.3 Specific end use(s)

None

### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

None

# 8.2 Exposure controls

# **Appropriate engineering controls**

Use only in well-ventilated areas.

#### **Personal protection equipment**





# **Eye/face protection**

Eye glasses with side protection EN 166

#### Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN-/EN-Norms EN ISO 374 EN 420 Suitable gloves type NBR (Nitrile rubber) PVA (Polyvinyl alcohol) PVC (polyvinyl chloride)

# **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Page: 4/8

# according to Regulation (EC) No. 1907/2006 (REACH)



mPa\*s

280

**Trade name :** SPHERE 8 PRIMER ST COMP. B

**Revision date :** 14.12.2023 **Version :** 1.0.0

**Print date :** 14-12-2023

Suitable respiratory protection apparatus Full-/half-/quarter-face masks (EN 136/140) Filtering device (full mask or mouthpiece) with filter: A

approx.

#### **General information**

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

#### **Environmental exposure controls**

See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Odour No information available.
Colour No information available.

# **Safety characteristics**

Initial boiling point and boiling (1013 hPa) 200 °C range: Flash point: 100 °C Lower explosion limit: Vol-% Upper explosion limit: Vol-% Vapour pressure: (20°C) hPa g/cm<sup>3</sup> Density: (20°C) approx. 1,1 pH: 8 - 11

(20°C)

Odour threshold

Viscosity:

Physical state : Liquid

Melting point/freezing point: No data available Freezing point: No data available **Decomposition temperature:** No data available No data available Auto-ignition temperature : Evaporation rate: No data available Water solubility: practically insoluble log P O/W: No data available Relative vapour density: No data available

#### 9.2 Other information

None

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No information available.

#### 10.2 Chemical stability

No information available.

# 10.3 Possibility of hazardous reactions

No information available.

#### 10.4 Conditions to avoid

No information available.

## 10.5 Incompatible materials

No information available.

## 10.6 Hazardous decomposition products

Page: 5 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 PRIMER ST COMP. B

**Revision date :** 14.12.2023 **Version :** 1.0.0

**Print date :** 14-12-2023

No information available.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Corrosion

#### Skin corrosion/irritation

corrosive.

# Serious eye damage/eye irritation

corrosive.

#### Irritation to respiratory tract

No data available

# Respiratory or skin sensitisation

#### Skin sensitisation

sensitising.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP.

#### Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

#### Reproductive toxicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP.

#### **STOT-repeated exposure**

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

No information available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmless to aquatic organisms up to the tested concentration.

# 12.2 Persistence and degradability

Biodegradable.

# 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

# 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6 Endocrine disrupting properties

No information available.

#### 12.7 Other adverse effects

Page: 6 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: SPHERE 8 PRIMER ST COMP. B

Revision date: 14.12.2023 Version: 1.0.0

Print date: 14-12-2023

None

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

### 14.1 UN number or ID number

UN 1760

# 14.2 UN proper shipping name

#### Land transport (ADR/RID)

CORROSIVE LIQUID, N.O.S. (phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3trimethylcyclohexanemethanamine and (chloromethyl)oxirane · ISOPHORONEDIAMINE )

#### Sea transport (IMDG)

CORROSIVE LIQUID, N.O.S. (phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3 $trimethyl cyclohexane methanamine \ and \quad (chloromethyl) oxirane \quad ISOPHORONE DIAMINE \ )$ 

#### Air transport (ICAO-TI / IATA-DGR)

CORROSIVE LIQUID, N.O.S. (phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3trimethylcyclohexanemethanamine and (chloromethyl)oxirane · ISOPHORONEDIAMINE )

## 14.3 Transport hazard class(es)

# Land transport (ADR/RID)

Class(es): Classification code: C9 Hazard identification number (Kemler No.): 80 **Tunnel restriction code: Special Provisions:** 

LQ 11 · E 2 8

Hazard label(s):

Sea transport (IMDG)

Class(es): 8

EmS-No.: F-A / S-B

**Special Provisions:** LQ 1 I · E 2 · IMDG-Code segregation group 18 - Alkalis

Hazard label(s): Air transport (ICAO-TI / IATA-DGR) Class(es): **Special Provisions:** E 2 Hazard label(s):

# 14.4 Packing group

#### 14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

# 14.6 Special precautions for user

None

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 PRIMER ST COMP. B

**Revision date :** 14.12.2023 **Version :** 1.0.0

**Print date :** 14-12-2023

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** legislation

Authorisations and/or restrictions on use

**Restrictions on use** 

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 3, 75

#### 15.2 Chemical Safety Assessment

Information from chemical safety assessments for substances in this preparation have been integrated into this safety data sheet.

#### **SECTION 16: Other information**

# 16.1 Indication of changes

None

## 16.2 Abbreviations and acronyms

None

# 16.3 Key literature references and sources for data

None

# $^{16.4}$ Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

# 16.6 Training advice

None

#### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 8 / 8