

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Floor coating

### 1.3 Details of the supplier of the safety data sheet

#### Supplier

EPI Synthetic Surface Materials B.V.

**Street :** Duikboot 7

**Postal code/City :** 3991 CK Houten

**Telephone :** +31 30 2933664

**Telefax :** +31 30 2936344

**Information contact :** (Sales Department) Sales@epigroup.nl

### 1.4 Emergency telephone number

+31 30 2936344 (during office hours 8:00 – 17:00)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

Aquatic Chronic 2 ; H411 - Hazardous to the aquatic environment : Chronic 2 ; Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Environment (GHS09) · Exclamation mark (GHS07)

##### Signal word

Warning

##### Hazard components for labelling

BIS-[4-(2,3-EPOXIPROPOXI)PHENYL]PROPANE ; CAS No. : 1675-54-3

Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and [2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and [2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERIVS ; CAS No. : 68609-97-2

##### Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents / container in accordance with local regulations.

### Special rules for supplemental label elements for certain mixtures

EUH205 Contains epoxy constituents. May produce an allergic reaction.

### Additional information

P302+P352 - IF ON SKIN: Wash with plenty of water/.... P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3 Other hazards

### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 2.4 Additional information

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and [2-{{2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl}oxirane and [2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane ; REACH No. : 01-2119454392-40 ; EC No. : 701-263-0

Weight fraction :  $\geq 25 - < 50$  %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Chronic 2 ; H411

BIS-[4-(2,3-EPOXIPROPOXI)PHENYL]PROPANE ; REACH No. : 01-2119456619-26 ; EC No. : 216-823-5 ; CAS No. : 1675-54-3

Weight fraction :  $\geq 25 - < 50$  %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERIVIS ; REACH No. : 01-2119485289-22 ; EC No. : 271-846-8 ; CAS No. : 68609-97-2

Weight fraction :  $\geq 10 - < 25$  %

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. No direct artificial respiration to be given by first aider. Call a

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

physician in any case!

### **In case of skin contact**

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

### **After eye contact**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### **Following ingestion**

Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

## **4.2 Most important symptoms and effects, both acute and delayed**

The following symptoms may occur: Headache Dizziness Nausea Diminished responsiveness Repeated exposure may cause skin dryness or cracking.

## **4.3 Indication of any immediate medical attention and special treatment needed**

None

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Water mist Foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>)

#### **Unsuitable extinguishing media**

Full water jet

### **5.2 Special hazards arising from the substance or mixture**

#### **Hazardous combustion products**

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO<sub>2</sub>)

### **5.3 Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

### **5.4 Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

#### **For non-emergency personnel**

##### **Protective equipment**

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### **6.2 Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3 Methods and material for containment and cleaning up**

#### **For containment**

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

#### **For cleaning up**

Suitable material for taking up: Sand Absorbing material, organic

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
Revision date : 14.12.2023  
Print date : 14-12-2023

Version : 1.0.0

## 6.4 Reference to other sections

See protective measures under point 7 and 8.

## SECTION 7: Handling and storage



### 7.1 Precautions for safe handling

#### Protective measures

##### Measures to prevent fire

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Provide earthing of containers, equipment, pumps and ventilation facilities.

##### Measures to prevent aerosol and dust generation

During filling, metering and sampling should be used if possible: Closed devices

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### DNEL-/PNEC-values

##### DNEL/DMEL

OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERIVIS ; CAS No. : 68609-97-2

Limit value type :	DNEL worker (local)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	0,98 mg/m <sup>3</sup>
Limit value type :	DNEL worker (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	13,8 mg/m <sup>3</sup>

### 8.2 Exposure controls

#### Appropriate engineering controls

Use only in well-ventilated areas. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

#### Personal protection equipment



#### Eye/face protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

Eye glasses with side protection EN 166

## Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN-/EN-Norms EN ISO 374 EN 420 Suitable gloves type NBR (Nitrile rubber) PVA (Polyvinyl alcohol) PVC (polyvinyl chloride)

## Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protection apparatus Full-/half-/quarter-face masks (EN 136/140) Filtering device (full mask or mouthpiece) with filter: A

## General information

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

## Environmental exposure controls

See section 7. No additional measures necessary.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Odour** characteristic

**Colour** light yellow

#### Safety characteristics

<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	>	200 °C
<b>Flash point :</b>		>	100 °C
<b>Auto-ignition temperature :</b>			235 °C
<b>Lower explosion limit :</b>			Vol-%
<b>Upper explosion limit :</b>			Vol-%
<b>Vapour pressure :</b>	( 20 °C )		0,8 hPa
<b>Density :</b>	( 20 °C )		1,1 g/cm <sup>3</sup>
<b>Viscosity :</b>	( 20 °C )		500 mPa*s
<b>Odour threshold</b>			
<b>Physical state :</b>	Liquid		
<b>Melting point/freezing point :</b>	No data available		
<b>Freezing point :</b>	No data available		
<b>Decomposition temperature :</b>	No data available		
<b>Evaporation rate :</b>	No data available		
<b>Water solubility :</b>	partial soluble		
<b>pH :</b>	No data available		
<b>log P O/W :</b>	No data available		
<b>Relative vapour density :</b>	No data available		

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Contains epoxy constituents with an average molecular weight of <= 700.

### 10.2 Chemical stability

No information available.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

### 10.3 Possibility of hazardous reactions

Exothermic reaction with: Amines.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

Amines. Oxidising agent, strong.

### 10.6 Hazardous decomposition products

No information available.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Corrosion

##### Skin corrosion/irritation

irritant.

##### Serious eye damage/eye irritation

irritant.

##### Irritation to respiratory tract

No data available

#### Respiratory or skin sensitisation

Respiratory or skin sensitisation

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

##### Carcinogenicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP.

##### Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

##### Reproductive toxicity

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to CLP.

#### STOT-repeated exposure

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

#### Aspiration hazard

Harmful: may cause lung damage if swallowed.

### 11.2 Information on other hazards

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life.

### 12.2 Persistence and degradability

Moderately/partially biodegradable.

### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4 Mobility in soil

No information available.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

None

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### 14.1 UN number or ID number

UN 3082

### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( Reaction mass of 2,2'- [methylenebis(4,1 phenyleneoxymethylene)]dioxirane and [2-({2-[4-(oxiran-2-ylmethoxy)benzyl] phenoxy)methyl]oxirane and [2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane · BIS-[4-(2,3-EPOXI PROPOXI)PHENYL]PROPANE )

#### Sea transport (IMDG)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( Reaction mass of 2,2'- [methylenebis(4,1 phenyleneoxymethylene)]dioxirane and [2-({2-[4-(oxiran-2-ylmethoxy)benzyl] phenoxy)methyl]oxirane and [2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane · BIS-[4-(2,3-EPOXI PROPOXI)PHENYL]PROPANE )

#### Air transport (ICAO-TI / IATA-DGR)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( Reaction mass of 2,2'- [methylenebis(4,1 phenyleneoxymethylene)]dioxirane and [2-({2-[4-(oxiran-2-ylmethoxy)benzyl] phenoxy)methyl]oxirane and [2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane · BIS-[4-(2,3-EPOXI PROPOXI)PHENYL]PROPANE )

### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

**Class(es) :** 9  
**Classification code :** M6  
**Hazard identification number (Kemler No.) :** 90  
**Tunnel restriction code :** -  
**Special Provisions :** LQ 5 I · E 1 · ADR : - (SP 375 <= 5 l/kg)  
**Hazard label(s) :** 9 / N

#### Sea transport (IMDG)

**Class(es) :** 9  
**EmS-No. :** F-A / S-F  
**Special Provisions :** LQ 5 I · E 1 · IMDG : - (SP 2.10.2.7 <= 5 l/kg)  
**Hazard label(s) :** 9 / N

#### Air transport (ICAO-TI / IATA-DGR)

**Class(es) :** 9  
**Special Provisions :** E 1 · IATA : - (SP A197 <= 5 l/kg)  
**Hazard label(s) :** 9 / N

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

### 14.4 Packing group

III

### 14.5 Environmental hazards

**Land transport (ADR/RID) :** Yes

**Sea transport (IMDG) :** Yes (P)

**Air transport (ICAO-TI / IATA-DGR) :** Yes

### 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3

### 15.2 Chemical Safety Assessment

Information from chemical safety assessments for substances in this preparation have been integrated into this safety data sheet.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

None

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

### 16.6 Training advice

None

### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** SPHERE 8 WB CLEAR EPOXY PRIMER COMP. A  
**Revision date :** 14.12.2023  
**Print date :** 14-12-2023

**Version :** 1.0.0

---

valid for the new made-up material.

---